Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2070	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:12
L2	519	709/225.ccls. and (lock$3 or token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:12
L3	90	709/225.ccls. and (lock$3 or token) same manag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:12
L4	66	709/225.ccls. and (lock$3 or token) same manag$3 AND (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:15
L5	288	709/201,202,203.ccls. and (lock$3 or token) same manag$3 AND (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:15
L6	64	709/201,202,203.ccls. and (lock$3 or token) same manag$3 And application adj server AND (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:15
S1	2	("5454108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:13
S3	8	(("6,249,879") or ("6,032,216") or ("5,852,747") or ("5,634,122")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:14

S4	0	(aceess with right) and ((token or lock$3) with manag$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:15
S5	6353	((token or lock$3) with manag$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:15
S6	592	((token or lock$3) with manag$4) and (access with rights)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:15
S7	433	((token or lock$3) with manag$4) and (access with rights) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:16
S8	88	((token or lock$3) with manag$4) and (access with rights) and (application adj server) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:37
S9	224	((token or lock$3) with manag$4) and (application adj server) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:19
S10	144	((token or lock$3) with manag$4) and (application adj server) and session and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:36
S11	59	((token or lock$3) with manag$4) and (application adj server) and (http same session) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:21

S12	4467	((token or lock$3) with manag$4) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:22
S13	13	((token or lock$3) with manag$4) and lazy with lock$3 and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:25
S14	4451	((token or lock$3) same manag$4) same (object or data or file) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:54
S16	2	("20020143958").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:00
S17	25	(("6,539,494") or ("6,178,439") or ("6,701,438") or ("6,745,387") or ("6,385,642") or ("5,951,643") or ("6,098,093") or ("6,052,730") or ("6,615,235") or ("6,308,212") or ("6,684,390") or ("6,584,548")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:34
S19	34	((token or lock$3) with manag$4) and ((backup or fallback) adj server) and (@AD < "20020110" or @RLAD < "20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:37
S20	45	("5454108").URPN.	USPAT	OR	ON	2005/11/30 12:25
S21	66	mohindra.in.	USPAT	OR	ON	2005/11/30 12:25
S22	12	(ajay near2 mohindra).in.	USPAT	OR	ON	2005/11/30 14:10
S24	38236	"705"/$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:12